

Supporting information

Guided crystallization of zeolite beads composed of ZSM-12 nanosponges

Kassem Moukahhal^{1,2,3}, Ludovic Josien^{1,2}, Habiba Nouali^{1,2}, Joumana Toufaily³, Tayssir Hamieh³, T. Jean Daou^{1,2*}, Bénédicte Lebeau^{1,2*}

¹ Université de Haute Alsace (UHA), CNRS, Axe Matériaux à Porosité Contrôlée (MPC), Institut de Science des Matériaux de Mulhouse (IS2M), UMR 7361, F-68093 Mulhouse, France; kassem.moukahhal@uha.fr (K.M.); habiba.nouali@uha.fr (H.N.); ludovic.josien@uha.fr (L.J.)

² Université de Strasbourg (Unistra), F-67000 Strasbourg, France

³ Laboratory of Materials, Catalysis, Environment and Analytical Methods Faculty of Sciences, Section I, Lebanese University Campus Rafic Hariri, Hadath, Lebanon; joumana.toufaily@ul.edu.lb (J.T.); tayssir.hamieh@ul.edu.lb (T.H.)

* Correspondence: jean.daou@uha.fr (T.J.D.); Tel.: +00-(33)-389336739 ; benedicte.lebeau@uha.fr (B.L.); Tel.: +00-(33)-389336882




Figure S1. Scanning electron microscopy (SEM) images of the parent amorphous 20 μm silica spheres. An average size of $23 \pm 3 \mu\text{m}$ was determined from measurements on about 100 beads.




Figure S2. (a) Nitrogen sorption isotherm at 77 K and (b) DFT pore size distribution determined from the adsorption branch of the N₂ isotherm for the parent amorphous silica beads.