

Correction

Correction: Doss et al. Performance Evaluation of a PET of 7T Bruker Micro-PET/MR Based on NEMA NU 4-2008 Standards. *Electronics* 2022, 11, 2194

Kishore Krishnagiri Manoj Doss ¹, Pei En Mion ¹, Yu-Chieh Jill Kao ¹, Tsung-Ter Kuo ²
and Jyh-Cheng Chen ^{1,2,3,*}

- ¹ Department of Biomedical Imaging and Radiological Sciences, National Yang Ming Chiao Tung University, Taipei 11221, Taiwan
- ² Department of Medical Imaging and Radiological Technology, Yuanpei University of Medical Technology, Hsinchu 30015, Taiwan
- ³ School of Medical Imaging, Xuzhou Medical University, Xuzhou 221004, China
- * Correspondence: jyhcheng@nycu.edu.tw; Tel.: +886-3-5381183 (ext. 7510) or +886-2-2826-7282; Fax: +886-2-2820-1095

Missing Institutional Review Board Statement

In the original publication, the Institutional Review Board Statement was not included. The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication [1] has also been updated.

Institutional Review Board Statement: The animal experiments were reviewed and approved by Affidavit of Approval of Animal Use Protocol Institutional Animal Care and Use Committee (IACUC) of National Yang Ming Chiao Tung University. The animal experiment application form and consent number (1100407).

We accept the correction made in the original publication.

Reference

1. Doss, K.K.M.; Mion, P.E.; Kao, Y.-C.J.; Kuo, T.-T.; Chen, J.-C. Performance Evaluation of a PET of 7T Bruker Micro-PET/MR Based on NEMA NU 4-2008 Standards. *Electronics* **2022**, *11*, 2194. [[CrossRef](#)]



Citation: Doss, K.K.M.; Mion, P.E.; Kao, Y.-C.J.; Kuo, T.-T.; Chen, J.-C. Correction: Doss et al. Performance Evaluation of a PET of 7T Bruker Micro-PET/MR Based on NEMA NU 4-2008 Standards. *Electronics* **2022**, *11*, 2194. *Electronics* **2022**, *11*, 2975. <https://doi.org/10.3390/electronics11192975>

Received: 14 September 2022
Accepted: 14 September 2022
Published: 20 September 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).