

Optimizing Industrial Workflows: A Synergistic Approach with AIoT and Large Language Models [†]

Victor K. Danev ^{*} and Viktoriya V. Muchanova

Institute of Information and Communication Technologies—Bulgarian Academy of Sciences, 1113 Sofia, Bulgaria; viktoriya.muchanova@iict.bas.bg

^{*} Correspondence: victor.danev@iict.bas.bg

[†] Presented at the 15th International Scientific Conference TechSys 2026—Engineering, Technologies and Systems, Plovdiv, Bulgaria, 14–16 May 2026.

Abstract

The article explores the transformative impact of integrating the Internet of Things (IoT) and Artificial Intelligence (AI) on optimizing industrial workflows. The synergy between IoT and AI (AIoT) enables real-time data-driven decision-making and automation. This leads to increased operational efficiency, predictive maintenance, improved decision-making, optimized energy consumption, enhanced quality control, reduced costs, and improved safety. The mechanics of this optimization involve collecting data from IoT devices and performing intelligent analysis with AI. Edge computing reduces latency in data processing. Implementation challenges are addressed, focusing on data security, the complexities of integrating new technologies with legacy systems, and the critical need for skilled personnel proficient in IoT, AI, data analytics, and cybersecurity.

Keywords: Industrial Internet of Things (IIoT); Artificial Intelligence (AI); AIoT; Large Language Models (LLM); workflow optimization; predictive maintenance; Industry 4.0; Generative AI

1. Introduction

The modern industrial environment embraces the increasing needs of operational efficiency arising from worldwide competition and intricate supply chains [1,2]. The infusion of the industrial process with cyber-physical systems underlines the new era of Industry 4.0, where smart, interacting, and part-autonomous factories are taking place [3]. At the core of this evolution is the intersection between IoT and AI called Artificial Intelligence for IoT (AIoT) [4]. IoT is responsible for its ubiquitous sensing and gathering of data [5], whereas AI provides the analytical ability to convert the data into actionable decisions as well as autonomous control [6].

Continuing in the work the authors had done with behavioral modeling in smart homes [7], this paper takes the work on intelligent systems out of the home and into the much more demanding and complex world of industry. Sensing, learning, acting principles remain, but the scale, critical aspect of data, and the heterogeneity of data pose distinct challenges and opportunities in industrial applications. The developed AIoT model has been successfully implemented, and its market has had a rapid expansion [3]. A new technology is positioned to disrupt industrial intelligence however: Large Language Models (LLMs) [8]. Recent powerful LLMs are a subset of Generative AI [9], and they bring new capabilities to process unstructured data, conduct natural language human-machine interaction, and facilitate creative designs and problem-solving processes. In this



Academic Editors: Nikola G. Shakev,
Valyo N. Nikolov, Nikolay R.
Kakanakov and Sevil A.
Ahmed-Shieva

Published: 5 August 2026

Copyright: © 2026 by the authors.
Licensee MDPI, Basel, Switzerland.
This article is an open access article
distributed under the terms and
conditions of the [Creative Commons
Attribution \(CC BY\)](https://creativecommons.org/licenses/by/4.0/) license.

paper, we aim to lay the groundwork for a sound approach towards the new emerging industrial ecosystem that will be happening when traditional AIoT is enriched with LLMs. We will survey the fundamental techniques, discuss the synthesis advantages, application potentials of this integrated model, and challenges in implementation, and conclude with future research directions. Our guiding hypothesis is that the union of AIoT's data-driven control with the contextual comprehension and generative power of LLMs will enable the next breakthrough in workflow optimization and industrial autonomy.

2. Materials and Methods

2.1. The Industrial Internet of Things (IIoT)

The Industrial Internet of Things (IIoT) is an evolution of conventional distributed control systems (DCS) that offers a higher level of automation and control by processing manufacturing operations in the cloud [10]. Fundamentally, it is a system of interacting industrial things such as machinery, parts, and products interplaying and exchanging with the cloud and with each other [11]. IIoT systems can be abstractly modeled as having a layered modular architecture, as shown in Figure 1 [12]:




Figure 1. Three-layered IIoT architecture.

Device Layer: It is the bottom layer and encompasses the physical equipment, sensors (e.g., temperature, vibration, pressure), actuators, and industrial machinery that generate and act on the data [12].

Network Layer: The network layer is the communication infrastructure used to support the underlying physical network buses, cloud computing platforms, and protocols (e.g., MQTT, OPC, DDS) that combine and transport device layer data [12].

Service Layer: This is the upper layer all data sources coalesce to, where applications and analytics can then turn the raw collection of data into actionable data for decision support and process control [12].

Technology, such as RFID, NFC, or QR, provides support in the identification of the object and data retrieval.

2.2. Artificial Intelligence in Industrial Automation

The sensory network for the IIoT is powered by Artificial Intelligence. It spans from computing systems whose task is to perform human-level perceivable functions such as learning, decision-making, and perception [13]. Exploiting AI in the industrial

arena renders complex functionality such as predictive analytics and real-time process optimization feasible [14]. Key subfields include:

Machine Learning (ML): ML discovers patterns hidden in the data with which to make a prediction or a decision [15]. This consists of supervised learning (learning with labeled data), unsupervised learning (discovering patterns in unlabeled data), and reinforcement learning (trial-and-error learning) [14].

Deep Learning (DL): Deep Learning categorizes a subset of ML that uses multilayered neural networks to discover very complicated patterns in huge datasets and to perform complicated mapping that is not realizable with narrow learning systems and is ideal for applications including advanced image and speech recognition [10]. These algorithms are essential for applications from predictive maintenance [6] to automated quality control [10].

3. Results

While traditional AI/ML models are successful in dealing with structured (numerical) data coming from the sensors [12], a huge portion of crucial industrial information is in unstructured forms, such as maintenance logs, technician reports, and operational manuals. Here is where LLMs provide a paradigm-changing advantage [9].

An LLM is a Generative AI model that is trained on a large corpus of text data and, therefore, is able to understand, summarize, generate, and predict human language [11]. By incorporating LLM into the AIoT service layer, a human-machine interface-based operational abstraction of advanced machine-readable data could be established, leading to an intelligent industrial environment [8,9].

3.1. Enhancing Human-Machine Interaction

LLMs can be a natural language interface for large industrial systems. Instead of navigating complex dashboards, operators can interact with machinery using plain language. This conversational process is detailed in the interaction loop depicted in Figure 2 [16].




Figure 2. Interaction loop for an LLM-powered industrial assistant.

Voice and Chat Assistants: Operators can query by asking, “What’s the current temperature from Control Room 5?” or similar statements can be made, receiving relevant, instant information in return.

Troubleshooting and Guiding: LLMs can interpret error codes of yards from machines and match them with technical documents, making troubleshooting diagnoses for drivers in real-time [8].

3.2. Automated Analysis and Reporting

LLMs can be used to productize this manual process of documenting and analyzing unstructured operational data.

Automated Summarization: Such LLMs might ingest thousands of data points collected from IoT sensors and could automatically produce brief daily or weekly operational summaries, focusing on anomalies and key performance indicators [9].

Root Cause Analysis: Through the processing of maintenance reports and engineering technician notes, LLMs can recognize recurring problems and elusive trends, which otherwise may be undetected by human analysts, leading to better root-cause analysis [8].

3.3. Design and Optimization with Generative AI

Beyond analysis, the generative capabilities of LLMs could also be useful in industrial design and process optimization [17].

Component Design: LLMs help to generate innovative design concepts for industrial components by using performance requirements and constraints of materials.

Process Simulation: LLMs can generate predicted text descriptions to simulate what the effects of changes in the process may be, enabling engineers to compare multiple optimization strategies before implementation.

3.4. Synergistic Benefits and Applications

LLMs do not replace the current AIoT benefits; they multiply them providing synergistic benefits and applications. A comprehensive comparative analysis of workflow optimization between ‘AIoT Only’ and ‘AIoT + LLM’ capabilities across key industrial areas is structured in Table 1.

Predictive Maintenance: Typically relying on structured sensor data to perform failure prediction [5], the embedding of LLMs allows the analysis of unstructured maintenance logs and technician notes to give a fuller picture and accurate estimation of asset health [8,9].

Automated Quality Control: Using AI-based computer vision, we can detect visual defects [15]. Further, it can benefit from an LLM that automatically produces an incident report in detail, categorizes the defect using historical data, and recommends a resolution from technical documents.

Intelligent Supply Chain Management: AIoT can realize instant information of goods tracking. An LLM can interpret this data along with external information (e.g., news items, weather forecasts) to deliver deeper risk analysis to inform decision-making and generate communication to stakeholders, proactively addressing the possibility of a delay [1].

Dynamic Resource Allocation: AIoT solutions may well leverage sensor data for downlink resource utilization. An LLM can improve upon this by reading production orders in natural language and assisting in the dynamic changing of priorities through context-awareness [8].

Table 1. Comparative analysis of workflow optimization: AIoT vs. AIoT + LLM.

Application Area	“AIoT Only” Capabilities	“AIoT + LLM” Augmented Capabilities
Predictive Maintenance	Analyzes structured sensor data (e.g., vibration, temperature) to predict equipment failures. Identifies anomalies based on deviations from numerical norms. Triggers automated alerts when pre-defined thresholds are breached.	Analyzes unstructured data such as technician’s free-text maintenance logs and notes to uncover hidden patterns and correlations. Generates detailed diagnostic reports in natural language, explaining the potential fault and its likely causes. Provides interactive, step-by-step repair guidance by querying technical manuals in real-time based on operator questions.
Quality Control	Uses computer vision and sensors to automatically detect physical defects (e.g., cracks, incorrect dimensions) in real-time. Flags defective products on the assembly line based on visual data analysis.	Automatically generates a rich, detailed incident report for each detected defect, including classification and severity assessment. Suggests potential root causes by cross-referencing the current defect with a historical database of similar issues described in past reports. Generates documentation for new quality control procedures.
Operator Safety	Monitors environmental conditions via sensors (e.g., gas leaks, temperature) and triggers alarms. Uses IoT wearables to monitor workers’ vital signs and alert supervisors to signs of stress or fatigue.	Provides context-aware, natural language safety warnings and instructions based on the operator’s location and current task. Allows operators to report hazards or incidents verbally; the LLM transcribes the report, extracts key details, and alerts the appropriate personnel. Can instantly provide emergency procedures from safety protocols in response to a spoken query.
Supply Chain Management	Provides real-time asset tracking using GPS and RFID. Optimizes logistics and routes based on structured data like traffic patterns and delivery schedules. Displays inventory levels and shipment status on dashboards.	Augments route optimization by analyzing external unstructured data, such as news reports on port strikes or severe weather forecasts, to predict complex disruptions. Automatically drafts stakeholder communications (e.g., emails to clients) explaining delays and providing updated, context-informed ETAs.
Human–Machine Interaction	Interaction is primarily through Graphical User Interfaces (GUIs), dashboards, and pre-defined alert systems. Requires operators to be trained to interpret complex data visualizations and system codes.	Enables interaction via intuitive natural language (voice or text), significantly lowering the training barrier. Operators can ask complex, conversational questions (e.g., “Compare the efficiency of lines 3 and 4 this week and tell me why one is performing better”). Provides rich, synthesized answers instead of just raw data, improving cognitive understanding for the operator.

4. Discussion

4.1. Implementation Challenges and Strategic Considerations

However, with such potential comes additional layers of complexity and difficulties associated with the integrability of LLMs leading to the need of implementation challenges and strategic considerations.

Data Security and Privacy: It is important to protect sensitive operational data and proprietary technical manuals from unauthorized access, using encryption and access

control to minimize the chances of a data breach. This also adds to the ongoing security issues in AIoT, such as securing legacy OT systems and enlarging attack surfaces [12,18].

Integration Complexity: The integration of LLMs with legacy OT systems and AIoT platforms is non-trivial. This entails investment in APIs, middleware [15], and edge computing infrastructure—where needed to support LLM on the edge for latency-sensitive applications [8].

Ethical Concerns and Bias: LLMs possess biases of their own which carry over from the source text they have been trained on [9]. In a manufacturing setting, a biased model might produce inaccurate reports or unsafe suggestions [16]. The question of being able to address biases and develop a transparent pipeline for LLM-driven decisions is of paramount importance [19] and is faced by traditional AI systems as well.

Need for Skilled Personnel: A qualified workforce specializing not only in IoT and AI but also in natural language processing and LLM fine-tuning is required to achieve successful deployment.

Computation Costs: Training and deploying large-scale LLMs can be expensive in terms of computational resources. A comprehensive analysis of costs and benefits is necessary, examining both production API-based commercial models and smaller, more efficient open-source models running on dedicated infrastructure. Such a stepwise deployment approach, beginning with clearly defined pilot projects, is necessary to mitigate these risks and prove value ahead of a broad deployment.

4.2. Future Trends and Research Directions

The synergy of AIoT and LLMs is an emerging area with several exciting trends and research directions yet to come.

Edge-Deployable LLMs: One future trend is the creation of smaller and more efficient LLMs, which can be deployed at edge devices [11]. This will allow real-time natural language processing to be done on the factory floor to decrease latency and dependence on the cloud [8,9].

Multimodal Models: In the future, we assume the models will not be restricted to text and will process multiple data types such as sensor, image, audio, and text at a time. That builds on current AI's ability to process multimodal data and will result in far more sophisticated services that might "see" a machine vibration using a camera, "hear" atypical sounds, and "read" a maintenance log to deliver a very precise diagnosis.

Autonomous Agents: With the improvements in AI agents driven by LLM-based reasoning, we will see increasingly more autonomous systems doing more complex, multi-stage tasks with less human presence, continuing to streamline industrial workflows.

5. Conclusions

The convergence of the Internet of Things and Artificial Intelligence has already driven a tremendous wave of transformation in the industrial sector with quantifiable benefits in efficiency, quality, and safety. This paper has argued that integrating Large Language Models is the next natural and strong step in this evolutionary development. Offering a natural language interface between humans and machines and facilitating the automatic processing of large unstructured data, LLMs can enhance the current AIoT benefits and give way to new vectors for optimization.

If a well-managed strategy is followed, the risks of security, ethics, and implementation can largely be addressed. The conceptual framework and roadmap it presents can guide organizations that seek to lead the next wave of industrial intelligence. The coming together of AIoT and large, heavy LLMs is not just another step in the journey; it is a transformation, a shift that will enable companies to develop more adaptable, resilient, and, in the end,

autonomous industrial workflows that will give early movers a very significant competitive edge in the dynamic global environment.

Author Contributions: Conceptualization, V.K.D. and V.V.M.; methodology, V.K.D. and V.V.M.; software, V.K.D.; validation, V.K.D. and V.V.M.; investigation, V.K.D.; resources, V.K.D. and V.V.M.; writing—original draft preparation, V.K.D.; writing—review and editing, V.K.D. and V.V.M.; visualization, V.V.M.; supervision, V.K.D. and V.V.M. All authors have read and agreed to the published version of the manuscript.

Funding: The presented research is supported by the National Science Fund of Bulgaria, with Contract No. KII-06-H85/16.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: No new data were created or analyzed in this study. Data sharing is not applicable to this article.

Conflicts of Interest: The authors declare no conflicts of interest.

Abbreviations

The following abbreviations are used in this manuscript:

LLMs	Large Language Models
IIoT	Industrial Internet of Things
AIoT	Artificial Intelligence for IoT
DCS	Distributed Control Systems
OT	Operational Technology
ETA	Estimated Time of Arrival
RFID	Radio-Frequency IDentification
ML	Machine Learning
DL	Deep Learning
NFC	Near-Field Communication
QR	Quick Response
AI	Artificial Intelligence
API	Application Programming Interface
GUIs	Graphical User Interfaces

References

1. Ivanov, D.; Dolgui, A. A Digital Supply Chain Twin for Managing the Disruption Risks and Resilience in the Era of Industry 4.0. *Prod. Plan. Control.* **2021**, *32*, 775–788. [\[CrossRef\]](#)
2. Kusiak, A. Smart Manufacturing. *Int. J. Prod. Res.* **2018**, *56*, 508–517. [\[CrossRef\]](#)
3. Monostori, L. Cyber-Physical Production Systems: Roots, Expectations and R&D Challenges. *Procedia CIRP* **2014**, *17*, 9–13. [\[CrossRef\]](#)
4. Matin, A.; Islam, M.R.; Wang, X.; Huo, H.; Xu, G. AIoT for Sustainable Manufacturing: Overview, Challenges, and Opportunities. *Internet Things* **2023**, *24*, 100901. [\[CrossRef\]](#)
5. Azeema, N.; Nayira, R. Artificial Intelligence in Predictive Maintenance for Industrial IoT. *Proceeding Int. Conf. Innov. Sci. Technol. Educ. Child. Health* **2025**, *3*, 127–130. [\[CrossRef\]](#)
6. Varalakshmi, K.; Kumar, J. Optimized Predictive Maintenance for Streaming Data in Industrial IoT Networks Using Deep Reinforcement Learning and Ensemble Techniques. *Sci. Rep.* **2025**, *15*, 27201. [\[CrossRef\]](#) [\[PubMed\]](#)
7. Danev, V.; Muchanova, V.; Nikolov, R.; Chikalanov, A. Study of Behavioral Models in an Intelligent Home Environment. In Proceedings of the BdKCSE'2018, Sofia, Bulgaria, 21 November 2018.
8. An, T.; Zhou, Y.; Zou, H.; Yang, J. IoT-LLM: A Framework for Enhancing Large Language Model Reasoning from Real-World Sensor Data. *Patterns* **2026**, *7*, 101429. [\[CrossRef\]](#) [\[PubMed\]](#)
9. Kok, I.; Demirci, O.; Ozdemir, S. When IoT Meet LLMs: Applications and Challenges. *arXiv* **2024**, arXiv:2411.17722.

10. Van Le, D.; Yang, J.Q.; Zhou, S.; Ho, D.; Tan, R. Design, Deployment, and Evaluation of an Industrial AIoT System for Quality Control at HP Factories. *ACM Trans. Sens. Netw.* **2024**, *20*, 1–19. [[CrossRef](#)]
11. Wang, X.; Xu, Z.; Sui, X. Intelligent Data Analysis in Edge Computing with Large Language Models: Applications, Challenges, and Future Directions. *Front. Comput. Sci.* **2025**, *7*, 1538277. [[CrossRef](#)]
12. Lee, K.; Lee, J. A Review on the Architecture and Applications of the Industrial Internet of Things (IIoT). *IEEE Trans. Ind. Inform.* **2019**, *15*, 3817–3828.
13. Li, B.; Hou, B.; Yu, W.; Lu, X.; Yang, C. Applications of Artificial Intelligence in Intelligent Manufacturing: A Review. *Front. Inf. Technol. Electron. Eng.* **2017**, *18*, 86–96. [[CrossRef](#)]
14. Carvalho, T.P.; Soares, F.A.A.M.N.; Vita, R.; Francisco, R.d.P.; Basto, J.P.; Alcalá, S.G.S. A Systematic Literature Review of Machine Learning Methods Applied to Predictive Maintenance. *Comput. Ind. Eng.* **2019**, *137*, 106024. [[CrossRef](#)]
15. Syafrudin, M.; Alfian, G.; Fitriyani, N.L.; Rhee, J. Performance Analysis of IoT-Based Sensor, Big Data Processing, and Machine Learning Model for Real-Time Monitoring System in Automotive Manufacturing. *Sensors* **2018**, *18*, 2946. [[CrossRef](#)] [[PubMed](#)]
16. Jobin, A.; Ienca, M.; Vayena, E. The Global Landscape of AI Ethics Guidelines. *Nat. Mach. Intell.* **2019**, *1*, 389–399. [[CrossRef](#)]
17. Raza, M.; Jahangir, Z.; Riaz, M.B.; Saeed, M.J.; Sattar, M.A. Industrial Applications of Large Language Models. *Sci. Rep.* **2025**, *15*, 13755. [[CrossRef](#)] [[PubMed](#)]
18. Li, M.Q.; Fung, B.C.M.; Charland, P.; Ding, S.H.H. I-MAD: Interpretable Malware Detector Using Galaxy Transformer. *Comput. Secur.* **2021**, *108*, 102371. [[CrossRef](#)]
19. Floridi, L.; Taddeo, M. What Is Data Ethics? *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.* **2016**, *374*, 20160360. [[CrossRef](#)] [[PubMed](#)]

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.