

# Green Infrastructure – Countering Ecosystem Fragmentation: Case Study of a Municipality in the Carpathian Foothills

Blazy Rafał<sup>1\*</sup>, Hrehorowicz- Gaber Hanna <sup>1</sup>, Hrehorowicz-Nowak Alicja<sup>1</sup>.

**Supplementary Materials:** Tables S1–S4 show the calculations of the  $K_1$  and  $K_2$  coefficients for each element of each ecosystem. An average value of the  $K_1 + K_2$  coefficient for all elements of each ecosystem was drawn from them. The average values of the  $K_1 + K_2$  coefficient for grassy and scrub ecosystems –8,39 (Table S1); forest and tree-based ecosystems –135.87 (Table S2); ecosystems of mosaic-like farmland –187.62 (Table S3); large-scale farmland ecosystems –199.53 (Table S4). The above data was used to further calculate the fragmentation coefficient in Table 4.

**Table 4.** Development and development types in the territory of Carpathian voivodeships in Poland.

Voivodeship	Total developed area to plot ratio in the voivodeship	Loose development (%)	Compact development (%)
Lesser Poland	18.50	18.90	81.10
Subcarpathian	10.62	18.56	81.44
Silesian	20.90	10.12	89.88

**Table S1.** Grassy and scrub ecosystems.

Symbol	Ecosystem type	Patch area/total area (ha)	Boundary length/total boundary length (km)	$K_1$ — similarity to a circular shape	$K_2$ — boundary length to surface ration	Coefficient $K_1 + K_2$
a	Permanently or seasonally wet meadows	45.24	3.19	1.34	7.05	8.39
b	Fresh meadows					= 8.39

**Table S2.** Forest and tree-based ecosystems.

Symbol	Ecosystem type	Patch area/total area (ha)	Boundary length/total boundary length (km)	$K_1$ — similarity to a circular shape	$K_2$ — boundary length to surface ration	Coefficient $K_1 + K_2$
a	Mixed forests	140.33	9.86	2.35	7.03	9.37
b	Mixed forests	39.88	4.99	2.23	12.51	14.74
c	Fresh mixed forests	126	8.26	2.08	6.56	8.63
d + e	Fresh deciduous forests + Fresh mixed forests	375.7	18.15	2.64	4.83	7.47
f	Fresh mixed forests	132.75	11.12	2.72	8.38	11.10
g	Fresh mixed forests	42.71	3.92	1.63	9.18	10.87
h	Mixed forests + fresh deciduous and mixed	695.85	27.98	2.99	4.02	7.01

i	Coniferous forests Tree rows, small	52.39	6.34	2.47	12.10	14.57
j	Anthropogenic forests and thickets Tree rows, small	38.45	4.04	1.84	10.51	12.35
k	Anthropogenic forests and thickets	29.66	3.06	1.59	10.32	11.90
l	Coniferous forests+ fresh coniferous	254.84	21.61	3.82	8.48	12.30
m	Fresh mixed forests +fresh deciduous + fresh coniferous	330.33	14.89	2.31	4.51	6.82
n	Mixed forests + fresh mixed	180.17	11.41	2.40	6.33	8.73
						= 135.87

Table S3. Ecosystems of mosaic-like farmland.

Symbol	Ecosystem type	Patch area/total area (ha)	Boundary length/total boundary length (km)	$K_1$ —similarity to a circular shape	$K_2$ —boundary length to surface ration	Coefficient $K_1 + K_2$
a	Mosaic-type farmland	58.96	6.90	2.53	11.70	14.24
b	Mosaic-type farmland	66.78	4.63	1.60	6.93	8.53
c	Mosaic-type farmland	225.00	16.39	3.08	7.28	10.37
d	Mosaic-type farmland	564.3	40.62	4.82	7.20	12.02
e	Mosaic-type farmland	92.85	8.08	2.37	8.70	11.07
f	Mosaic-type farmland	142.46	10.26	2.42	7.20	9.63
g	Mosaic-type farmland	27.85	3.00	1.60	10.77	12.38
h	Mosaic-type farmland	42.61	4.48	1.94	10.51	12.45
i	Mosaic-type farmland	86.77	7.78	2.36	8.97	11.32
j	Mosaic-type farmland	26.48	3.03	1.66	11.44	13.10
k	Mosaic-type farmland	96.42	7.60	2.18	7.88	10.07
l	Mosaic-type farmland	85.12	8.79	2.69	10.33	13.01
m	Mosaic-type farmland	88.44	4.80	1.44	5.43	6.87
n	Mosaic-type farmland	102.05	8.41	2.35	8.24	10.59
o	Mosaic-type farmland	97.41	5.86	1.67	6.02	7.69
p	Mosaic-type farmland	245	19.49	3.51	7.96	11.47
r	Mosaic-type farmland	44.90	4.84	2.04	10.78	12.82
						= 187.63

Table S4. Large-scale farmland ecosystems.

Symbol	Ecosystem type	Patch area/total area (ha)	Boundary length/total boundary length (km)	$K_1$ —similarity to a circular shape	$K_2$ —boundary length to surface ration	Coefficient $K_1 + K_2$
a	Large-scale farmland	25.38	3.19	1.79	12.57	14.36
b	Large-scale farmland	33.35	4.23	2.07	12.68	14.75
c	Large-scale farmland	1114.00	69.72	5.89	6.26	12.15
d	Large-scale farmland	135.06	1.36	0.33	1.01	1.34
e	Large-scale farmland	43.13	4.56	1.96	10.57	12.53
f	Large-scale farmland	40.23	5.28	2.35	13.12	15.47

g	Large-scale farmland	73.27	8.03	2.65	10.96	13.61
h	Large-scale farmland	52.69	4.07	1.58	7.72	9.31
i	Large-scale farmland	55.05	4.97	1.89	9.03	10.92
j	Large-scale farmland	55.01	4.40	1.67	8.00	9.67
k	Large-scale farmland	57.87	5.9	0.41	2.55	2.97
l	Large-scale farmland	32.49	0.83	0.41	2.55	2.97
m	Large-scale farmland	42.69	4.47	1.93	10.47	12.40
n	Large-scale farmland	55.27	4.33	1.64	7.83	9.48
o	Large-scale farmland	430.80	32.86	4.47	7.63	12.09
p	Large-scale farmland	104.81	6.96	1.92	6.64	8.56
r	Large-scale farmland	234.6	18.72	3.45	7.98	11.43
s	Large-scale farmland	158.38	8.36	1.87	5.28	7.15
t	Large-scale farmland	77.18	6.15	1.97	7.97	9.94
u	Large-scale farmland	171.83	10.57	2.27	6.15	8.43
						= 199.53