

Future Prospects and Challenges in Mucormycosis Research

Georgios Chamilos ^{1,2,*}, Ulrike Binder ³ and Victoriano Garre ⁴

¹ Laboratory of Clinical Microbiology and Microbial Pathogenesis, School of Medicine, University of Crete, 71110 Heraklion, Greece

² Institute of Molecular Biology and Biotechnology, Foundation for Research and Technology, 71300 Heraklion, Greece

³ Institute of Hygiene and Medical Microbiology, Medical University Innsbruck, Schöpfstrasse 41, 6020 Innsbruck, Austria; ulrike.binder@i-med.ac.at

⁴ Departamento de Genética y Microbiología, Facultad de Biología, Universidad de Murcia, 30100 Murcia, Spain; vgarre@um.es

* Correspondence: hamilos@imbb.forth.gr; Tel.: +30-(2810)-394560; Fax: +30-(2810)-394626

Mucormycosis is an increasingly important, life-threatening human fungal infection caused by Mucorales, and it has limited therapeutic options, a lack of biomarkers for early diagnosis, and incompletely characterized immunopathogenesis. Mucorales possess unique virulence factors and epigenetic mechanisms that control fungal growth, pathogenicity, and resistance to antifungal agents. Furthermore, mucormycosis has distinct clinical and epidemiological features, which reflect specific underlying mechanisms of immune dysfunction. Specifically, the ability of Mucorales to induce necrotizing, angioinvasive disease in patients with certain metabolic abnormalities implies that host metabolites play a significant regulatory role in fungal pathogenicity. Furthermore, it is possible that uncharacterized, evolutionarily conserved metabolic host defense mechanisms inhibit this class of fungal pathogens. Progress in understanding the immunobiology of mucormycosis remains constrained by (a) the scarcity of human biological samples collected, (b) the lack of broadly available genetic tools and strains engineered to dissect host–Mucorales interplay, (c) the variety of fungal species that cause the disease, and (d) insufficient funding resources. Collaborative and coordinated efforts between experts in fungal biology, genetics and genomics, immunology, pathogenesis, and clinical research on mucormycosis are needed to overcome these challenges. These synergistic interactions would lead to new funding opportunities and yield novel insights into disease mechanisms, ultimately enabling the development of innovative therapies targeting Mucorales' pathogenicity and improving clinical outcomes for this disease.

Mucorales comprise a group of ubiquitous filamentous fungi (molds) that are prevalent pathogens in plants [1] and animals [2,3], including invertebrate hosts [4–6]. In humans, Mucorales cause mucormycosis, a life-threatening, necrotizing, angioinvasive infection with incompletely understood pathogenesis and limited therapeutic options [4,7–15]. Globally, *Rhizopus* spp. are the predominant causative agents of mucormycosis [7,16]. Mucormycosis is associated with an unacceptably high mortality rate of 50%, exceeding 90% upon dissemination [7]. Its poor outcomes are largely attributed to limited therapeutic options due to the intrinsic resistance of Mucorales to most antifungal drugs, the underlying immune dysfunction, and extensive tissue necrosis, which impedes the effective delivery of antifungal agents to the site of infection and necessitates radical surgery. Over the past two decades, significant advances have been made in understanding the epidemiology, pathogenesis, and treatment of mucormycosis. D.P. Kontoyiannis' research

Received: 24 May 2025

Accepted: 30 June 2025

Published: 22 July 2025

Citation: Chamilos, G.; Binder, U.; Garre, V. Future Prospects and Challenges in Mucormycosis Research. *J. Fungi* **2025**, *11*, 545. <https://doi.org/10.3390/jof11080545>

Copyright: © 2025 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

group has played an instrumental role in coordinating many of these efforts. However, significant gaps remain in our understanding of the immunobiology of mucormycosis. Elucidating the early immunopathogenic mechanisms of mucormycosis is essential for the design of effective antifungal drugs and innovative prophylactic and therapeutic interventions, ultimately aiming to improve the disease's clinical outcomes.

Similarly to other invasive mold infections (IMIs), mucormycosis affects severely immunocompromised patients with defects in terms of the number and/or function of phagocytes, including patients with a hematological malignancy and chemotherapy-induced myelosuppression or aplastic anemia, alongside transplant recipients (Table 1) [4,17]. However, unlike other IMIs, mucormycosis predominantly affects an ever-expanding group of patients with unique metabolic abnormalities, including poorly controlled diabetes mellitus (DM), diabetic ketoacidosis or other types of acidosis, acquired iron overload syndromes, deferoxamine treatment, malnutrition, severe trauma, and burns [4,7]. Furthermore, incompletely characterized immunometabolic abnormalities induced by COVID-19 in the setting of corticosteroid therapy and DM resulted in an epidemic of mucormycosis in India and other parts of the world [18]. Altogether, these findings suggest that unidentified host metabolic defense mechanisms prevent Mucorales infections in healthy individuals.

The ability of Mucorales to evade host immune responses and induce angioinvasive, necrotizing disease—particularly in patients with metabolic abnormalities—suggests that host metabolic factors play a crucial role in modulating fungal growth and virulence. In fact, several lines of evidence suggest that mucormycosis is a metabolic disease. Regarding pathogens, iron assimilation pathways [19] and specialized mechanisms that promote xenosiderophore acquisition [20] are crucial virulence factors of Mucorales. Excessive iron availability, in the context of iron overload or acidosis [21], hyperglycemia, and a high number of ketone bodies, promotes angioinvasion through the expression of epithelial and endothelial receptors for Mucorales CotH invasions [22]. Additionally, β -hydroxy butyrate (BHB) triggers fungal growth via uncharacterized mechanisms [21]. Interestingly, *R. delemar* produces novel peptides that alter iron homeostasis and promote intracellular growth in macrophages [23].

From the host perspective, nutritional immunity via iron limitation inhibits the intracellular growth of Mucorales inside macrophages [24]. However, swollen *R. delemar* spores evade phagocytosis and induce fulminant disease and rapid death following pulmonary infection in immunocompetent mice. The release of the potent mycotoxin mucoricin during the germination of Mucorales largely accounts for their ability to induce significant tissue necrosis and promote fungal invasion [25]. Therefore, the inhibition of fungal growth both intracellularly and in the extracellular space plays a crucial role in the host's defense against Mucorales. These hypothetical metabolic host defense mechanisms could specifically target Mucorales growth inside the host. In this context, understanding the pathways that regulate the transition from saprophytic to pathogenic metabolism and the growth of Mucorales could shed light on the specialized host effector mechanisms that target this class of pathogens. Achieving this goal requires increasing the availability of genetic engineering tools and fungal models, which are currently limited to only the species *Mucor* and *Rhizopus*. Studies on *Mucor* spp. have demonstrated the crucial role of mitochondrial metabolism on fungal growth and virulence via the downregulation of PKA signaling [26,27]. Notably, a unique epigenetic pathway transcriptionally regulates the growth of Mucorales in vitro and in vivo through the symmetric N-6 adenine methylation (6 mA) of DNA [28,29]. Interestingly, mitochondrial metabolites and enzymes directly regulate chromatin-modifying enzymes to control the growth of cancer cells [30]. Therefore, investigating metabolic signals that modulate the epigenetic mechanism regulating fungal growth is crucial. Furthermore, characterizing the transcriptional networks that

link growth regulation to the pathogenesis of Mucorales will be essential for our molecular understanding of the immunobiology of this infection.

Apart from the effects of host metabolic factors on fungal pathogenicity, these molecules also have a direct impact on the immune system. For example, excessive amounts of BHB inhibit ROS production and impair the antifungal effector properties of neutrophils [21]. Additionally, metabolic abnormalities predisposing to mucormycosis, including iron overload, systemic acidosis, malnutrition, and poorly controlled diabetes, have complex and pleiotropic effects on the systemic immune response. Nonetheless, the physiological immune responses against Mucorales remain incompletely characterized at the molecular level. Specifically, although alveolar macrophages (AMs) have a non-redundant role in host defense against Mucorales [24], the immunometabolic responses and effector mechanisms that eliminate fungal spores following phagocytosis currently remain unknown. Similarly, although neutropenia is a predominant risk factor for mucormycosis [4,7], neutrophil immune responses against Mucorales in health and disease have not yet been explored. Furthermore, the role of adaptive immunity in physiological host defense against mucormycosis has not been evaluated (Table 2).

The timely initiation of appropriate amphotericin B-based therapy markedly improves outcomes in patients with mucormycosis [31]. However, early diagnosis is challenging because of the lack of reliable surrogate biomarkers and the clinical similarities between pulmonary mucormycosis and other invasive mold infections (IMIs) [32]. Although the reverse halo sign on CT imaging [33,34], especially when combined with characteristic clinical and epidemiological features, can demonstrate an increased likelihood of mucormycosis [35], specific host and pathogen biomarkers are required to improve diagnosis of the disease. The recent implementation of commercially available serum Mucorales quantitative PCR (qPCR) for high-risk hematological patients represents an important diagnostic tool [36]. Nonetheless, the performance of qPCR is suboptimal in mucormycosis patients with diabetes mellitus as the main underlying risk factor [36]. A more in-depth molecular understanding of Mucorales biology will facilitate the development of novel diagnostic assays.

Overall, a systems medicine approach is needed to comprehensively characterize the dynamic interplay between Mucorales and the immune system, which will facilitate the identification of targeted therapeutic strategies that can disrupt fungal pathogenicity at the early stages of the disease (Figure 1). To achieve this, it is important to systematically explore the effects of metabolic disorders and certain metabolites in innate host defense pathways that confer protective immunity against Mucorales using relevant animal models of mucormycosis. The use of alternative mini-host models that allow for high-throughput experimental approaches to testing candidate novel compounds and genetic screening could also provide invaluable information on the evolutionary mechanisms of host–Mucorales interactions [5]. For examples, the role of serum transferrin in systemic nutritional immunity against *R. delemar* is evolutionary conserved from *Drosophila melanogaster* to humans [37].

Advancing our molecular understanding of mucormycosis' immunopathogenesis is hindered by significant challenges. These include (a) the scarcity of clinical samples and human biorepositories available to validate findings from preclinical models, (b) the limited availability of genetic tools and engineered fungal strains to study the dynamics of host–fungal interplay, and (c) the lack of established animal models for studying emerging groups of patients (e.g., CAM) and the different aspects of the disease. To overcome these challenges, there is a pressing need for collaborative, interdisciplinary research initiatives. Fostering synergy among experts in fungal biology, genomics, immunology, pathogenesis, and clinical care will create an ideal environment for groundbreaking discoveries in fungal biology and immunology. The establishment of these effective

collaborative networks will ultimately depend on adequate funding support from national and international agencies, in alignment with the recommendations of the World Health Organization in the Fungal Priority Pathogens List, which includes Mucorales. Advancing our molecular understanding of the immunobiology of mucormycosis will transform novel discoveries into better diagnostic, therapeutic, and preventive strategies to ultimately improve disease outcomes.

Table 1. Unique host factors associated with susceptibility to Mucorales in comparison with *Aspergillus fumigatus* and other molds.

Predominant IMI Due to <i>A. fumigatus</i> Shared Risk Factors for IMI [18,40,41] and Other Molds [7,38,39]		Unique Risk Factor for Mucormycosis [4,38]
Primary immunodeficiency	Defects in number or function of phagocytes in	Primary immunodeficiency
- Genetic defects in NADPH oxidase complex (chronic granulomatous disease; CGD) * - CADR9 deficiency	- hematological malignancy and transplant recipients - Prolonged, persistent neutropenia - High doses of corticosteroids - Aplastic anemia	- Acquired STAT1 function [42] - Papillon-Lefevre syndrome [43]
Acquired immune defects	Immune deactivation induced by bacterial sepsis. Severe fever with thrombocytopenia syndrome (SFTS). Immunosuppression related to ibrutinib and other small-molecule kinase inhibitors (SMKIs). COVID-19-associated aspergillosis (CAPA) and COVID-19-associated mucormycosis (CAM).	Metabolic disorders - Poorly controlled diabetes mellitus (DM) - Diabetic ketoacidosis (DKA) - Other forms of acidosis - Acquired iron overload; - Deferoxamine therapy - Malnutrition Trauma and burns

* Mucormycosis almost exclusively occurs in CGD patients receiving corticosteroids [44]. # Mucormycosis following influenza has been reported in patients receiving steroids or with underlying risk factors (e.g., neutropenia, poorly controlled DM) [45].

Table 2. Important questions in immunopathogenesis of mucormycosis.

• What is the physiological role of adaptive immunity in host defense against Mucorales?
• What is the role of adaptive immunity in inflammatory immunopathology associated with sepsis-induced mucormycosis?
• Do professional phagocytic cells employ distinct mechanisms to eliminate inhaled Mucorales spores compared to other fungal pathogens?
• Is there a role of host metabolism in immunity against Mucorales?
• Are there distinct metabolic pathways regulating Mucorales growth and virulence as compared to other fungal pathogens?
• What is the role of host metabolites in fungal growth and virulence?
• What is the effect of certain host metabolites on physiological immune responses against Mucorales?
• What is the effect of certain metabolic abnormalities, including iron overload, acidosis, and malnutrition, on the function of the immune system?
• Which immunometabolic alterations are related to COVID-19-associated mucormycosis (CAM)?
• What is the impact of genetic defects on the development of mucormycosis?




Figure 1. A roadmap for synergistic research interactions toward novel drug discoveries and enhanced management of mucormycosis.

Author Contributions: Conceptualization, G.C.; methodology, G.C., V.G. and U.B.; software, G.C., V.G. U.B.; G.C., V.G. and U.B.; formal analysis, G.C., V.G. and U.B.; investigation, G.C., V.G. and U.B.; resources, G.C., V.G. and U.B.; data curation, G.C., V.G. and U.B.; writing—original draft preparation, G.C.; writing—review and editing, G.C., V.G. and U.B.; visualization, V.G.; supervision, G.C., V.G. and U.B.; project administration, G.C., V.G. and U.B.; funding acquisition, G.C., V.G. and U.B. All authors have read and agreed to the published version of the manuscript.

Funding: G.C. is supported by an ERC Consolidator Grant (iMAC-FUN, #864957), an Horizon 2020–Research and Innovation Framework Programme from Europe, H2020-SC1-BHC-2018-2020 (HDM-FUN #84750), and the General Secretariat for Research and Innovation of Greece Grant PRO-sCAP (Project Code TAEDR-0541976) carried out within the framework of the National Recovery and Resilience Plan Greece 2.0 and funded by the European Union-Next Generation EU. V.G. is supported by the grant PID2021-124674NB-I00 funded by MICIU/AEI/10.13039/501100011033 and by ERDF/EU and by the grant 21969/PI/22 funded by the Fundación Séneca-Agencia de Ciencia y Tecnología de la Región de Murcia.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Partida-Martinez, L.P.; Hertweck, C. Pathogenic fungus harbours endosymbiotic bacteria for toxin production. *Nature* **2005**, *437*, 884–888. <https://doi.org/10.1038/nature03997>.
2. Huggins, J.L.; Garner, M.M.; Raverty, S.A.; Lambourn, D.M.; Norman, S.A.; Rhodes, L.D.; Gaydos, J.K.; Olson, J.K.; Haulena, M.; Hanson, M.B. The Emergence of Mucormycosis in Free-Ranging Marine Mammals of the Pacific Northwest. *Front. Mar. Sci.* **2020**, *7*, 2020. <https://doi.org/10.3389/fmars.2020.00555>.

3. Barbosa, J.D.; Barbosa, C.C.; Ferreira Filho, C.; Moran, J.F.G.; Oliveira, C.M.C.; Bomjardim, H.D.A.; Costa, P.; Brito, M.F.; Paz, M.C.; Lamego, E.C.; et al. Cutaneous Mucormycosis in Buffalos in the Brazilian Amazon Biome. *Animals* **2024**, *14*, 1327. <https://doi.org/10.3390/ani14091327>.
4. Ribes, J.A.; Vanover-Sams, C.L.; Baker, D.J. Zygomycetes in human disease. *Clin. Microbiol. Rev.* **2000**, *13*, 236–301. <https://doi.org/10.1128/cmr.13.2.236>.
5. Chamilos, G.; Lewis, R.E.; Hu, J.; Xiao, L.; Zal, T.; Gilliet, M.; Halder, G.; Kontoyiannis, D.P. *Drosophila melanogaster* as a model host to dissect the immunopathogenesis of zygomycosis. *Proc. Natl. Acad. Sci. USA* **2008**, *105*, 9367–9372. <https://doi.org/10.1073/pnas.0709578105>.
6. Aynalem, T.; Meng, L.; Getachew, A.; Wu, J.; Yu, H.; Tan, J.; Li, N.; Xu, S. A New Isolated Fungus and Its Pathogenicity for *Apis mellifera* Brood in China. *Microorganisms* **2024**, *12*, 313. <https://doi.org/10.3390/microorganisms12020313>.
7. Alqarihi, A.; Kontoyiannis, D.P.; Ibrahim, A.S. Mucormycosis in 2023: An update on pathogenesis and management. *Front. Cell Infect. Microbiol.* **2023**, *13*, 1254919. <https://doi.org/10.3389/fcimb.2023.1254919>.
8. Spellberg, B.; Edwards, J., Jr.; Ibrahim, A. Novel perspectives on mucormycosis: Pathophysiology, presentation, and management. *Clin. Microbiol. Rev.* **2005**, *18*, 556–569. <https://doi.org/10.1128/cmr.18.3.556-569.2005>.
9. Roden, M.M.; Zaoutis, T.E.; Buchanan, W.L.; Knudsen, T.A.; Sarkisova, T.A.; Schaufele, R.L.; Sein, M.; Sein, T.; Chiou, C.C.; Chu, J.H.; et al. Epidemiology and outcome of zygomycosis: A review of 929 reported cases. *Clin. Infect. Dis.* **2005**, *41*, 634–653. <https://doi.org/10.1086/432579>.
10. Brown, G.D.; Denning, D.W.; Gow, N.A.; Levitz, S.M.; Netea, M.G.; White, T.C. Hidden killers: Human fungal infections. *Sci. Transl. Med.* **2012**, *4*, 165rv113. <https://doi.org/10.1126/scitranslmed.3004404>.
11. Gleissner, B.; Schilling, A.; Anagnostopoulou, I.; Siehl, I.; Thiel, E. Improved outcome of zygomycosis in patients with hematological diseases? *Leuk. Lymphoma* **2004**, *45*, 1351–1360.
12. Kauffman, C.A. Zygomycosis: Reemergence of an old pathogen. *Clin. Infect. Dis.* **2004**, *39*, 588–590.
13. Kontoyiannis, D.P.; Wessel, V.C.; Bodey, G.P.; Rolston, K.V. Zygomycosis in the 1990s in a tertiary-care cancer center. *Clin. Infect. Dis.* **2000**, *30*, 851–856.
14. Marr, K.A.; Carter, R.A.; Crippa, F.; Wald, A.; Corey, L. Epidemiology and outcome of mould infections in hematopoietic stem cell transplant recipients. *Clin. Infect. Dis.* **2002**, *34*, 909–917.
15. Siwek, G.T.; Dodgson, K.J.; de Magalhães-Silverman, M.; Bartelt, L.A.; Kilborn, S.B.; Hoth, P.L.; Diekema, D.J.; Pfaller, M.A. Invasive zygomycosis in hematopoietic stem cell transplant recipients receiving voriconazole prophylaxis. *Clin. Infect. Dis.* **2004**, *39*, 584–587.
16. Garre, V. Recent Advances and Future Directions in the Understanding of Mucormycosis. *Front. Cell Infect. Microbiol.* **2022**, *12*, 850581. <https://doi.org/10.3389/fcimb.2022.850581>.
17. Dailey-Garnes, N.J.M.; Kontoyiannis, D.P. Mucormycosis: Update on clinical presentation, diagnosis, and treatment. *Curr. Opin. Infect. Dis.* **2023**, *36*, 427–435. <https://doi.org/10.1097/qco.0000000000000976>.
18. Hoenigl, M.; Seidel, D.; Sprute, R.; Cunha, C.; Oliverio, M.; Goldman, G.H.; Ibrahim, A.S.; Carvalho, A. COVID-19-associated fungal infections. *Nat. Microbiol.* **2022**, *7*, 1127–1140. <https://doi.org/10.1038/s41564-022-01172-2>.
19. Ibrahim, A.S.; Gebremariam, T.; Lin, L.; Luo, G.; Hussein, M.I.; Skory, C.D.; Fu, Y.; French, S.W.; Edwards, J.E., Jr.; Spellberg, B. The high affinity iron permease is a key virulence factor required for *Rhizopus oryzae* pathogenesis. *Mol. Microbiol.* **2010**, *77*, 587–604. <https://doi.org/10.1111/j.1365-2958.2010.07234.x>.
20. Liu, M.; Lin, L.; Gebremariam, T.; Luo, G.; Skory, C.D.; French, S.W.; Chou, T.F.; Edwards, J.E., Jr.; Ibrahim, A.S. Fob1 and Fob2 Proteins Are Virulence Determinants of *Rhizopus oryzae* via Facilitating Iron Uptake from Ferrioxamine. *PLoS Pathog.* **2015**, *11*, e1004842. <https://doi.org/10.1371/journal.ppat.1004842>.
21. Gebremariam, T.; Lin, L.; Liu, M.; Kontoyiannis, D.P.; French, S.; Edwards, J.E., Jr.; Filler, S.G.; Ibrahim, A.S. Bicarbonate correction of ketoacidosis alters host-pathogen interactions and alleviates mucormycosis. *J. Clin. Investig.* **2016**, *126*, 2280–2294. <https://doi.org/10.1172/jci82744>.
22. Alqarihi, A.; Gebremariam, T.; Gu, Y.; Swidergall, M.; Alkhazraji, S.; Soliman, S.S.M.; Bruno, V.M.; Edwards, J.E., Jr.; Filler, S.G.; Uppuluri, P.; et al. GRP78 and Integrins Play Different Roles in Host Cell Invasion during Mucormycosis. *mBio* **2020**, *11*, e01087-20. <https://doi.org/10.1128/mBio.01087-20>.
23. Soliman, S.S.M.; El-Labbad, E.M.; Abu-Qiyas, A.; Fayed, B.; Hamoda, A.M.; Al-Rawi, A.M.; Dakalbab, S.; El-Shorbagi, A.A.; Hamad, M.; Ibrahim, A.S.; et al. Novel Secreted Peptides from *Rhizopus arrhizus* var. *delemar* with Immunomodulatory Effects That Enhance Fungal Pathogenesis. *Front. Microbiol.* **2022**, *13*, 863133. <https://doi.org/10.3389/fmicb.2022.863133>.

24. Andrianaki, A.M.; Kyrmizi, I.; Thanopoulou, K.; Baldin, C.; Drakos, E.; Soliman, S.S.M.; Shetty, A.C.; McCracken, C.; Akoumianaki, T.; Stylianou, K.; et al. Iron restriction inside macrophages regulates pulmonary host defense against *Rhizopus* species. *Nat. Commun.* **2018**, *9*, 3333. <https://doi.org/10.1038/s41467-018-05820-2>.
25. Soliman, S.S.M.; Baldin, C.; Gu, Y.; Singh, S.; Gebremariam, T.; Swidergall, M.; Alqarihi, A.; Youssef, E.G.; Alkhazraji, S.; Pikoulas, A.; et al. Mucorin is a ricin-like toxin that is critical for the pathogenesis of mucormycosis. *Nat. Microbiol.* **2021**, *6*, 313–326. <https://doi.org/10.1038/s41564-020-00837-0>.
26. Patiño-Medina, J.A.; Vargas-Tejeda, D.; Reyes-Mares, N.Y.; Alexandre-Castañeda, V.; Torres-Cortes, C.J.; Pérez-Arques, C.; Ruiz-Herrera, L.F.; Ramírez-Emiliano, J.; Vellanki, S.; Valle-Maldonado, M.I.; et al. Heterotrimeric G-gamma 1 (Gpg1) participates with G-beta 1 (Gpb1) in the induction of hyphal growth and virulence via the PKA pathway in *Mucor lusitanicus*. *Fungal Genet. Biol.* **2025**, *178*, 103974. <https://doi.org/10.1016/j.fgb.2025.103974>.
27. Alexandre-Castañeda, V.; Patiño-Medina, J.A.; Valle-Maldonado, M.I.; García, A.; Ortiz-Alvarado, R.; Ruíz-Herrera, L.F.; Castro-Cerritos, K.V.; Ramírez-Emiliano, J.; Ramírez-Díaz, M.I.; Garre, V.; et al. Transcription Factors Tec1 and Tec2 Play Key Roles in the Hyphal Growth and Virulence of *Mucor lusitanicus* Through Increased Mitochondrial Oxidative Metabolism. *J. Microbiol.* **2023**, *61*, 1043–1062. <https://doi.org/10.1007/s12275-023-00096-8>.
28. Lax, C.; Mondo, S.J.; Martínez, J.F.; Muszewska, A.; Baumgart, L.A.; Pérez-Ruiz, J.A.; Carrillo-Marín, P.; LaButti, K.; Lipzen, A.; Zhang, Y.; et al. Symmetric adenine methylation is an essential DNA modification in the early-diverging fungus *Rhizopus microsporus*. *Nat. Commun.* **2025**, *16*, 3843. <https://doi.org/10.1038/s41467-025-59170-x>.
29. Lax, C.; Mondo, S.J.; Osorio-Concepción, M.; Muszewska, A.; Corrochano-Luque, M.; Gutiérrez, G.; Riley, R.; Lipzen, A.; Guo, J.; Hundley, H.; et al. Symmetric and asymmetric DNA N6-adenine methylation regulates different biological responses in Mucorales. *Nat. Commun.* **2024**, *15*, 6066. <https://doi.org/10.1038/s41467-024-50365-2>.
30. Egan, G.; Khan, D.H.; Lee, J.B.; Mirali, S.; Zhang, L.; Schimmer, A.D. Mitochondrial and Metabolic Pathways Regulate Nuclear Gene Expression to Control Differentiation, Stem Cell Function, and Immune Response in Leukemia. *Cancer Discov.* **2021**, *11*, 1052–1066. <https://doi.org/10.1158/2159-8290.Cd-20-1227>.
31. Chamilos, G.; Lewis, R.E.; Kontoyiannis, D.P. Delaying amphotericin B-based frontline therapy significantly increases mortality among patients with hematologic malignancy who have zygomycosis. *Clin. Infect. Dis.* **2008**, *47*, 503–509. <https://doi.org/10.1086/590004>.
32. Chamilos, G.; Marom, E.M.; Lewis, R.E.; Lionakis, M.S.; Kontoyiannis, D.P. Predictors of pulmonary zygomycosis versus invasive pulmonary aspergillosis in patients with cancer. *Clin. Infect. Dis.* **2005**, *41*, 60–66. <https://doi.org/10.1086/430710>.
33. Georgiadou, S.P.; Sipsas, N.V.; Marom, E.M.; Kontoyiannis, D.P. The diagnostic value of halo and reversed halo signs for invasive mold infections in compromised hosts. *Clin. Infect. Dis.* **2011**, *52*, 1144–1155. <https://doi.org/10.1093/cid/cir122>.
34. Jung, J.; Kim, M.Y.; Lee, H.J.; Park, Y.S.; Lee, S.O.; Choi, S.H.; Kim, Y.S.; Woo, J.H.; Kim, S.H. Comparison of computed tomographic findings in pulmonary mucormycosis and invasive pulmonary aspergillosis. *Clin. Microbiol. Infect.* **2015**, *21*, e611–e688. <https://doi.org/10.1016/j.cmi.2015.03.019>.
35. Koehler, P.; Reimer, R.; Wahba, R.; Schömig-Markiefka, B.; Cornely, O.A. Transdiaphragmatic Mucormycosis. *Clin. Infect. Dis.* **2020**, *70*, 940–942. <https://doi.org/10.1093/cid/ciz533>.
36. Millon, L.; Caillot, D.; Berceanu, A.; Bretagne, S.; Lanternier, F.; Morio, F.; Letscher-Bru, V.; Dalle, F.; Denis, B.; Alanio, A.; et al. Evaluation of Serum Mucorales Polymerase Chain Reaction (PCR) for the Diagnosis of Mucormycoses: The MODIMUCOR Prospective Trial. *Clin. Infect. Dis.* **2022**, *75*, 777–785. <https://doi.org/10.1093/cid/ciab1066>.
37. Iatsenko, I.; Marra, A.; Boquete, J.P.; Peña, J.; Lemaitre, B. Iron sequestration by transferrin 1 mediates nutritional immunity in *Drosophila melanogaster*. *Proc. Natl. Acad. Sci. USA* **2020**, *117*, 7317–7325. <https://doi.org/10.1073/pnas.1914830117>.
38. Lionakis, M.S.; Drummond, R.A.; Hohl, T.M. Immune responses to human fungal pathogens and therapeutic prospects. *Nat. Rev. Immunol.* **2023**, *23*, 433–452. <https://doi.org/10.1038/s41577-022-00826-w>.
39. Latgé, J.P.; Chamilos, G. *Aspergillus fumigatus* and Aspergillosis in 2019. *Clin. Microbiol. Rev.* **2019**, *33*, e00140-18. <https://doi.org/10.1128/cmr.00140-18>.
40. Zarakas, M.A.; Desai, J.V.; Chamilos, G.; Lionakis, M.S. Fungal Infections with Ibrutinib and Other Small-Molecule Kinase Inhibitors. *Curr. Fungal Infect. Rep.* **2019**, *13*, 86–98. <https://doi.org/10.1007/s12281-019-00343-9>.
41. Chamilos, G.; Lionakis, M.S.; Kontoyiannis, D.P. Call for Action: Invasive Fungal Infections Associated with Ibrutinib and Other Small Molecule Kinase Inhibitors Targeting Immune Signaling Pathways. *Clin. Infect. Dis.* **2018**, *66*, 140–148. <https://doi.org/10.1093/cid/cix687>.

42. Kumar, N.; Hanks, M.E.; Chandrasekaran, P.; Davis, B.C.; Hsu, A.P.; Van Wagoner, N.J.; Merlin, J.S.; Spalding, C.; La Hoz, R.M.; Holland, S.M.; et al. Gain-of-function signal transducer and activator of transcription 1 (STAT1) mutation-related primary immunodeficiency is associated with disseminated mucormycosis. *J. Allergy Clin. Immunol.* **2014**, *134*, 236–239. <https://doi.org/10.1016/j.jaci.2014.02.037>.
43. Dalgic, B.; Bukulmez, A.; Sari, S. Pyogenic liver abscess and peritonitis due to *Rhizopus oryzae* in a child with Papillon-Lefevre syndrome. *Eur. J. Pediatr.* **2011**, *170*, 803–805. <https://doi.org/10.1007/s00431-010-1368-3>.
44. Henriët, S.; Verweij, P.E.; Holland, S.M.; Warris, A. Invasive fungal infections in patients with chronic granulomatous disease. *Adv. Exp. Med. Biol.* **2013**, *764*, 27–55. https://doi.org/10.1007/978-1-4614-4726-9_3.
45. Ahmadikia, K.; Hashemi, S.J.; Khodavaissy, S.; Getso, M.I.; Alijani, N.; Badali, H.; Mirhendi, H.; Salehi, M.; Tabari, A.; Mohammadi Ardehali, M.; et al. The double-edged sword of systemic corticosteroid therapy in viral pneumonia: A case report and comparative review of influenza-associated mucormycosis versus COVID-19 associated mucormycosis. *Mycoses* **2021**, *64*, 798–808. <https://doi.org/10.1111/myc.13256>.

Disclaimer/Publisher’s Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.