




Frequency distribution of IgG for almond




Frequency distribution of IgG for *Aspergillus fumigatus*




Frequency distribution of IgG for barley




Frequency distribution of IgG for barley malt




Frequency distribution of IgG for buckwheat



Frequency distribution of IgG for *Candida albicans*




Frequency distribution of IgG for canned tuna




Concentration of specific IgG for canned tuna (U/ml)

Frequency distribution of IgG for champignon mushrooms




Concentration of specific IgG for champignon mushrooms (U/ml)

Frequency distribution of IgG for chicken



Concentration of specific IgG for chicken (U/ml)

Frequency distribution of IgG for corn




Concentration of specific IgG for corn (U/ml)

Frequency distribution of IgG for red grape




Concentration of specific IgG for red grape (U/ml)

Frequency distribution of IgG for goat milk




Concentration of specific IgG for goat milk (U/ml)


Frequency distribution of IgG for hazelnut




Frequency distribution of IgG for honey




Frequency distribution of IgG for kamut




Frequency distribution of IgG for kiwi




Frequency distribution of IgG for lentil




Frequency distribution of IgG for mozzarella cheese




Frequency distribution of IgG for oat




Frequency distribution of IgG for olive




Frequency distribution of IgG for onion




Frequency distribution of IgG for orange




Frequency distribution of IgG for parmesan cheese



Frequency distribution of IgG for peach




Frequency distribution of IgG for porcini mushrooms




Concentration of specific IgG for porcini mushrooms (U/ml)

Frequency distribution of IgG for potato




Concentration of specific IgG for potato (U/ml)

Frequency distribution of IgG for red grape




Concentration of specific IgG for red grape (U/ml)

Frequency distribution of IgG for rice




Concentration of specific IgG for rice (U/ml)

Frequency distribution of IgG for ricotta cheese




Concentration of specific IgG for ricotta cheese (U/ml)

Frequency distribution of IgG for rye




Concentration of specific IgG for rye (U/ml)


Frequency distribution of IgG for soy




Frequency distribution of IgG for spinach




Frequency distribution of IgG for tea




Frequency distribution of IgG for walnut



Frequency distribution of IgG for zucchini




Frequency distribution of IgG for beer yeast




Concentration of specific IgG for beer yeast (U/ml)

Frequency distribution of IgG for durum wheat




Concentration of specific IgG for durum wheat (U/ml)

Frequency distribution of IgG for pork




Concentration of specific IgG for pork (U/ml)

Frequency distribution of IgG for processed cheese



Concentration of specific IgG for processed cheese (U/ml)

Frequency distribution of IgG for spelt



Concentration of specific IgG for spelt (U/ml)