

Supporting Information for

**Carbon Nanotube versus Graphene Nanoribbon: Impact of Nanofiller Geometry on
Electromagnetic Interference Shielding of Polyvinylidene Fluoride Nanocomposites**

Mohammad Arjmand^{a,†,*}, Soheil Sadeghi^{b,†}, Ivonne Otero Navas^b, Yalda Zamani Keteklahijani^b,
Sara Dordanihaghighi^a, Uttandaraman Sundararaj^{b,*}

^aSchool of Engineering, University of British Columbia, Kelowna, BC, V1V 1V7 Canada

^bDepartment of Chemical and Petroleum Engineering, University of Calgary, Calgary, AB,
T2N 1N4, Canada

*Corresponding authors. Mohammad Arjmand (mohammad.arjmand@ubc.ca);
Uttandaraman Sundararaj (u.sundararaj@ucalgary.ca)

[†]MA and SS made equal contribution to this work.




Figure S1. (a) Low-magnification and (b) high-magnification TEM image of parent CNT. (c) Low-magnification and (d) high-magnification TEM image of GNR. (e) and (f) show schemes of fully and partially longitudinally unzipped CNT, respectively. Adapted with permission from Sadeghi et al. *Macromolecules*, 2017; 50: 3954-3967 ¹. Copyright (2017), American Chemical Society.

References

1. Sadeghi, S.; Arjmand, M.; Otero Navas, I.; Zehtab Yazdi, A.; Sundararaj, U., Effect of Nanofiller Geometry on Network Formation in Polymeric Nanocomposites: Comparison of Rheological and Electrical Properties of Multiwalled Carbon Nanotube and Graphene Nanoribbon. *Macromolecules* **2017**, *50*, 3954-3967.