

131. Castrillo, A.; Casa, G.; Kerstel, E.; Gianfrani, L. Diode laser absorption spectrometry for $^{13}\text{CO}_2$ / $^{12}\text{CO}_2$ isotope ratio analysis: Investigation on precision and accuracy levels. *Appl. Phys. B: Lasers Opt.* **2005**, *81*, 863–869.
132. Wahl, E.H.; Fidric, B.; Rella, C.W.; Koulikov, S.; Kharlamov, B.; Tan, S.; Kachanov, A.A.; Richman, B.A.; Crosson, E.R.; Paldus, B.A.; Kalaskar, S.; Bowling, D.R. Application of cavity-ringdown spectroscopy to high precision isotope ratio measurement of $^{13}\text{C}/^{12}\text{C}$ in carbon dioxide. *Isotopes Environ. Health Stud.* **2006**, *42*, 21–35.
133. Horner, G.; Lau, S.; Lohmannsroben, H-G. NIR diode laser spectroscopy for isotope selective sensing of soil-respired carbon dioxide. *SPIE Proc. Ser.* **2004**, *5544*, 47–54.
134. Nelson, D.D.; McManus, J.B.; Herndon, S.C.; Zahniser, M.S.; Tuzson, B.; Emmenegger, L. New method for isotopic ratio measurements of atmospheric carbon dioxide using a 4.3 μm pulsed quantum cascade laser. *Appl. Phys. B: Lasers Opt.* **2008**, *90*, 301–309.
135. Dirk, R.; Wert, B.P.; Fried, A.; Weibring, P.; Walega, J.G.; White, J.W.C.; Vaughn, B.H.; Tittel, F.K. High-precision CO_2 isotopologue spectrometer with a difference-frequency-generation laser source. *Opt. Lett.* **2009**, *34*, 172–174.
136. Vreman, H.J.; Mahoney, J.J.; Stevenson, D.K. Carbon monoxide and carboxyhemoglobin. *Adv. Pediatr.* **1995**, *42*, 330–334.
137. Stevenson, D.K.; Vreman, H.J. Carbon monoxide and bilirubin production in neonates. *Pediatr. Rev.* **1997**, *100*, 252–259.
138. Applegate, L.A.; Luscher, P.; Tyrrell, R.M. Induction of heme oxygenase: a general response to oxidant stress in cultured mammalian cells. *Cancer Res.* **1991**, *51*, 974–978.
139. Yamaya, M.; Sekizawa, K.; Ishizuka, S.; Monma, M.; Mizuta, K.; Sasaki, H. Increased carbon monoxide in exhaled air of subjects with upper respiratory tract infections. *Am. J. Respir. Crit. Care Med.* **1998**, *158*, 311–314.
140. Zayasu, K.; Sekizawa, K.; Okinaga, S.; Yamaya, M.; Ohru, T.; Sasaki, H. Increased carbon monoxide in exhaled air of asthmatic patients. *Am. J. Respir. Crit. Care Med.* **1997**, *156*, 1140–1143.
141. Moeskops, B.W.; Cristescu, S.M.; Harren, F.J. Sub-part-per-billion monitoring of nitric oxide by use of wavelength modulation spectroscopy in combination with a thermoelectrically cooled, continuous-wave quantum cascade laser. *Opt. Lett.* **2006**, *31*, 823–825.
142. Sehnert, S.S.; Jiang, L.; Burdick, J.F.; Risby, T.H. Breath biomarkers for detection of human liver diseases: preliminary study. *Biomarkers* **2002**, *7*, 174–187.
143. Studer, S.M.; Orens, J.B.; Rosas, I.; Krishnan, J.A.; Cope, K.A.; Yang, S.; Conte, J.V.; Becker, P.B.; Risby, T.H. Patterns and significance of exhaled-breath biomarkers in lung transplant recipients with acute allograft rejection. *J. Heart Lung Transplant.* **2001**, *20*, 1158–1166.
144. Fried, A.; Drummound, J.R.; Henry, B.; Fox, J. Versatile integrated tunable diode laser system for high precision: application for ambient measurement of OCS. *Appl. Opt.* **1991**, *30*, 1916–1932.
145. Fischer, C.; Sigrist, M.W. Trace gas sensing in the 3.3 μm region using a diode based difference frequency laser photoacoustic system. *Appl. Phys. B: Lasers Opt.* **2002**, *75*, 305–310.
146. Cope, K.A.; Solga, S.F.; Hummers, L.K.; Wigley, F.M.; Diehl, A.M.; Risby, T.H. Abnormal exhaled ethane concentrations in scleroderma. *Biomarkers* **2006**, *11*, 70–84.

147. Paredi, P.; Kharitonov, S.A.; Leak, D.; Shah, P.L.; Cramer, D.; Hodson, M.E.; Barnes, P.J. Exhaled ethane is elevated in cystic fibrosis and correlates with carbon monoxide levels and airway obstruction. *Am. J. Respir. Crit. Care Med.* **2000**, *161*, 1247–1251.
148. Harren, F.J.M.; Berkelmans, R.; Kuiper, K.; te Lintel Hekkert, S.; Scheepers, P.; Dekhuijzen, R.; Hollander, P.; Parker, D.H. On-line laser photoacoustic detection of ethene in exhaled air as biomarker of ultraviolet radiation damage of the human skin. *Appl. Phys. Lett.* **1999**, *74*, 1761–1763.
149. Stolik, S.; Ramon-Gallegos, E.; Pacheco, M.; Tomas, S.A.; Cruz-Orea, A.; Perez-Zapata, A.J.; Gaebler, R.; Sanchez-Sinencio, F. Photoacoustic measurement of ethylene as a real time biomarker of lipid peroxidation processes in mice. *Anal. Sci.* **2001**, *17*, s365–s367.
150. Wehinger, A.; Schmid, A.; Mechtcheriakov, S.; Ledochowski, M.; Grabmer, C.; Guenther A. Gastl, G.A.; Amann, A. Lung cancer detection by proton transfer reaction mass-spectrometric analysis of human breath gas. *Int. J. Mass Spectrom.* **2007**, *265*, 49–59.
151. Koletzko, B.; Sauerwald, T.; Demmelmair, H. Safety of stable isotope use. *Eur. J. Pediatr.* **1997**, *156*, S12–S17.
152. Davies, S.; Spanel, P.; Smith, D. Rapid measurement of deuterium content of breath following oral ingestion to determine body water. *Physiol. Meas.* **2001**, *22*, 651–659.
153. Le Marchand, L.; Wilkens, L.R.; Harwood, P.; Cooney, R.V. Use of breath hydrogen and methane as markers of colonic fermentation in epidemiologic studies: circadian patterns of excretion. *Environ. Health Perspect.* **1992**, *98*, 199–202.
154. Scotoni, M.; Rossi, A.; Bassi, D.; Buffa, R.; Iannotta, S.; Boschetti, A. Simultaneous detection of ammonia, methane and ethylene at 1.63 μm with diode laser photoacoustic spectroscopy. *Appl. Phys. B: Lasers Opt.* **2006**, *82*, 495–500.
155. Grossel, A.; Zeninari, V.; Joly, L.; Parvitte, B.; Courtois, D.; Durry, G. New improvements in methane detection using a Helmholtz resonant photoacoustic laser sensor: A comparison between near-IR diode lasers and mid-IR quantum cascade lasers. *Spectrochim. Acta, Part A.* **2006**, *63*, 1021–1028.
156. Stry, S.; Hering, P.; Murtz, M. Portable difference-frequency laser-based cavity leak-out spectrometer for trace-gas analysis. *Appl. Phys. B: Lasers Opt.* **2002**, *75*, 297–303.
157. Hennig, O.; Strzoda, R.; Magori, E.; Chemisky, E.; Tump, C.; Fleischer, M.; Meixner, H.; Eisele, I. Hand-held unit for simultaneous detection of methane and ethane based on NIR-absorption spectroscopy. *Sens. Actuators, B.* **2003**, *95*, 151–156.
158. Cristescu, S.M.; Persijn, S.T.; Hekkert, S.T.L.; Harren, F.J.M. Laser-based systems for trace gas detection in life sciences. *Appl. Phys. B: Lasers Opt.* **2008**, *92*, 343–349.
159. Welzel, S.; Lombardi, G.; Davies, P.B.; Engeln, R.; Schram, D.C.; Ropcke, J. Trace gas measurements using optically resonant cavities and quantum cascade lasers operating at room temperature. *J. Appl. Phys.* **2008**, *104*, 093115/1–15.
160. Wang, C.; Srivastava, N.; Jones, B.A.; Reese, R.B. A novel multiple species ringdown spectrometer for in situ measurements of methane, carbon dioxide, and carbon isotope. *Appl. Phys. B: Lasers Opt.* **2008**, *92*, 259–270.
161. Kharitonov, S.A.; Barnes, P.J. Nitric oxide in exhaled air is a new marker of airway inflammation. *Monaldi. Arch. Chest Dis.* **1996**, *51*, 533–537.

162. McCluskie, K.; Birrell, M.A.; Wong, S.; Belvisi, M.G. Nitric oxide as a noninvasive biomarker of lipopolysaccharide-induced airway inflammation: possible role in lung neutrophilia. *J. Pharmacol. Exp. Ther.* **2004**, *311*, 625–633.
163. Birrell, M.A.; McCluskie, K.; Hardaker, E.; Knowles, R.; Belvisi, M.G. Utility of exhaled nitric oxide as a noninvasive biomarker of lung inflammation in a disease model. *Eur. Respir. J.* **2006**, *28*, 1236–1244.
164. *Breathmeter*; Available online: <http://www.ekipstech.com/pages/homepage/breathmeter/webpage/category.xml> (accessed October 16, 2009).
165. *Gas Sensors*; Available online: <http://www.pranalytica.com/technology-gas-sensors.html> (accessed October 16, 2009).
166. Lewicki, R.; Wysocki, G.; Kosterev, A.A.; Tittel, F.K. QEPAS based detection of broadband absorbing molecules using a widely tunable, cw quantum cascade laser at 8.4 μm . *Opt. Express.* **2007**, *15*, 7357–7366.
167. ATS/ERS recommendations for standardized procedures for the online and offline measurement of exhaled lower respiratory nitric oxide and nasal nitric oxide, 2005. *Am. J. Respir. Crit. Care Med.* **2005**, *171*, 912–930 (This Joint Statement of the American Thoracic Society (ATS) and the European Respiratory Society (ERS) was adopted by the ATS Board of Directors, December 2004, and by the ERS Executive Committee, June 2004).

© 2009 by the authors; licensee Molecular Diversity Preservation International, Basel, Switzerland. This article is an open-access article distributed under the terms and conditions of the Creative Commons Attribution license (<http://creativecommons.org/licenses/by/3.0/>).