

Supplement Table

Table S1. Detail character of patient after macrolide therapy.

No.	Age	Sex	Causative tooth	fistulae	Month of macrolide therapy	Outcome	Surgical Procedures
1	40	F	1st molar	presence	3 months	resistant	ESS/exodontia
2	39	M	2nd molar	absence	3 months	responsive	ESS/exodontia
3	52	F	1st molar	presence	4 months	resistant	ESS/exodontia
4	41	F	2nd bicuspid	presence	3 months	resistant	ESS/exodontia
5	39	M	2nd molar	presence	4 months	resistant	—
6	66	F	1st and 2nd molar	presence	1 month	resistant	ESS/exodontia
7	78	M	1st molar	absence	1 month	resistant	ESS
8	41	M	1st bicuspid	presence	3 months	resistant	ESS
9	55	F	2nd bicuspid	presence	3 months	resistant	ESS/exodontia
10	76	M	1st molar	presence	1 month	responsive	—
11	47	M	2nd molar	presence	4 months	resistant	ESS/exodontia
12	67	F	1st molar	presence	3 months	resistant	exodontia
13	64	M	2nd bicuspid	presence	5 months	resistant	ESS/exodontia
14	47	F	1st molar	presence	3 months	resistant	ESS/exodontia
15	19	F	2nd bicuspid	presence	3 months	responsive	—
16	61	M	1st molar	absence	2 months	responsive	—
17	66	M	1st and 2nd bicuspid	absence	2 months	responsive	—
18	53	M	2nd molar	presence	1 month	responsive	ESS/exodontia
19	45	M	2nd molar	presence	2 months	resistant	ESS/exodontia
20	26	F	1st molar	absence	4 months	resistant	exodontia